

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L3 | 121 | ((inclination or orientation or position or pitch or tilt or direction) near2 (sensor or detector)) or gyroscope) and (inclination or orientation or position or pitch or tilt) same (play\$1back or review) same (captur\$4 or record\$4 or still or photograph\$3) same (operation or mode) and (camera or (imag\$3 adj (device or apparatus))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 14:26 |
| L4 | 20 | 3 and (overrid\$3 or disabl\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 13:30 |
| L5 | 402 | ((inclination or orientation or position or pitch or tilt or direction) near2 (sensor or detector)) or gyroscope) and (inclination or orientation or position or pitch or tilt) and (play\$1back or review) same (captur\$4 or record\$4 or still or photograph\$3) same (operation or mode) and (camera or (imag\$3 adj (device or apparatus))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 13:30 |
| L6 | 180 | 5 and (overrid\$3 or disabl\$3 or cancel\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 13:31 |
| L7 | 128 | 6 and (@ad<"20030707" or @rlad<"20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 14:38 |
| L8 | 14 | ((inclination or orientation or position or pitch or tilt or direction) near2 (sensor or detector)) or gyroscope) and electrostatic adj plates and (camera or (imag\$3 adj (device or apparatus))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 14:26 |
| L9 | 1 | ((inclination or orientation or position or pitch or tilt or direction) near2 (sensor or detector)) or gyroscope) and ((electrostatic adj plates) near6 distance) and (camera or (imag\$3 adj (device or apparatus))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 14:27 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| L10 | 2 | ((inclination or orientation or position or pitch or tilt or direction) near2 (sensor or detector)) or gyroscope) and ((electrostatic adj plates) near6 distance) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 14:28 |
| L11 | 16 | ((inclination or orientation or position or pitch or tilt or direction) near2 (sensor or detector)) or gyroscope or mem or (micro\$3electro\$3mechanic\$2)) and ((electrostatic adj plates) near6 distance) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 14:32 |
| L13 | 16 | ((inclination or orientation or position or pitch or tilt or direction) near2 (sensor or detector)) or gyroscope or mem or (micro\$3electro\$3mechanic\$2)) and ((electrostatic adj plates) near7 distance) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 14:36 |
| L14 | 7120 | ((inclination or orientation or position or pitch or tilt or direction) near2 (sensor or detector)) or gyroscope or mem or (micro\$3electro\$3mechanic\$2)) and ((plates) near7 distance) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 14:37 |
| L15 | 1452 | (acelerometer or gyroscope or mem or (micro\$3electro\$3mechanic\$2)) and ((plates) near7 distance) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 14:37 |
| L16 | 122 | (acelerometer or gyroscope or mem or (micro\$3electro\$3mechanic\$2)) and ((plates) near distance) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 14:37 |
| L17 | 1228 | (acelerometer or gyroscope or mem or (micro\$3electro\$3mechanic\$2)) and ((plates) near4 distance) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 14:39 |
| L18 | 91 | 16 and (@ad<"20030707" or @rlad<"20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 14:39 |
| L19 | 10 | (acelerometer or gyroscope or mem or (micro\$3electro\$3mechanic\$2)) and ((plates) near4 distance) with acceleration | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 14:39 |

EAST Search History

| | | | | | | |
|-------|------|---|---|----|----|------------------|
| L20 | 6 | 19 and (@ad<"20030707" or @rlad<"20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 14:49 |
| L21 | 23 | mem and capacitance with plate with (separation or distance) same accelerat\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 15:19 |
| L22 | 129 | ((amy with battles) or (davis with campbell)).in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 15:20 |
| S12 8 | 1496 | (docking or cradle or dock) with camera | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/21 16:42 |
| S12 9 | 481 | (docking or cradle or dock) with camera and (inclinat\$4 or angle) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/21 16:43 |
| S13 0 | 445 | (docking or cradle or dock) with camera and (inclinat\$4 or angle) not silverbrook | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/21 16:57 |
| S13 1 | 8 | ("20020093583A1" "5734414" "6572282" "6734915" "6812971").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 10:01 |
| S13 2 | 56 | (docking or dock or cradle) with camera and (bottom or floor) with (aperture or protru\$5 or hole) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 11:02 |
| S13 3 | 1130 | (docking or dock or cradle) same (bottom or floor or under) with (aperture or protru\$5 or hole) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 11:19 |
| S13 4 | 0 | (docking or dock or cradle) same (bottom or floor or under) with (aperture or protru\$5 or hole) and conceil\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 11:19 |

EAST Search History

| | | | | | | |
|----------|------|---|---|----|----|------------------|
| S13 5 | 65 | (docking or dock or cradle) same (bottom or floor or under) with (aperture or protru\$5 or hole) and (conceil\$4 or hid\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 11:25 |
| S13 6 | 7 | (docking or dock or cradle) with camera and (docking or dock or cradle) with (bottom or floor or under) with (aperture or protru\$5 or hole) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 11:22 |
| S13 7 | 84 | (docking or dock or cradle) with camera and (docking or dock or cradle) with (aperture or protru\$5 or hole) and (pivot\$4 or rotat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 11:23 |
| S13 8 | 3368 | (docking or dock or cradle) same (bottom or floor or under or surface) with (aperture or protru\$5 or hole or post or rod) and (conceil\$4 or hid\$3 or cable or wir\$3 or connect\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 11:26 |
| S13 9 | 132 | (docking or dock or cradle) same (bottom or floor or under or surface) with (aperture or protru\$5 or hole or post or rod) and (conceil\$4 or hid\$3 or cable or wir\$3 or connect\$4) and camera | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 11:32 |
| S14 0 | 2 | "2002188389" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 11:33 |
| S14 1 | 26 | "188389" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 11:33 |
| S14 2 | 41 | (iGA with MASAHIKO).in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 11:36 |
| S14 3 | 90 | camera and (angle or inclinat\$4 or rotat\$4) with (rod or post or protrusion or protrud\$3) same (cradle or dock or docking) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 11:37 |

EAST Search History

| | | | | | | |
|----------|------|--|---|----|-----|------------------|
| S14 4 | 51 | S143 and @ay<"2004" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 13:05 |
| S14 5 | 1 | 10/601530 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 13:06 |
| S14 6 | 1278 | (cradle or docking or dock) with (inclin\$3 or inclinat\$3 or tilt\$3) with (rotat\$4 or protude or protru\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 13:09 |
| S14 7 | 68 | S146 and camera and image | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 13:07 |
| S14 8 | 219 | (cradle or docking or dock or camera) with (rotat\$4 or protude or protru\$4) with (hid\$3 or conceal\$4 or cover\$3) with (under or floor or bottom) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 13:15 |
| S14 9 | 168 | camera with (hid\$3 or conceal\$4 or cover\$3) with (under or floor or bottom) with (hole or space) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 13:16 |
| S15 0 | 31 | ("5164827" "5253286" "5318257" "5400068" "5479203").PN. OR ("5734414"). URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/22 13:19 |
| S15 1 | 22 | ("4744005" "5581299" "5612733" "5666153" "5719799" "5734414" "5748441" "5768163" "5793367" "5801919" "5806672" "5828779" "5828986" "D363471").PN. OR ("6081422").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/22 13:26 |

EAST Search History

| | | | | | | |
|----------|-----|---|---|----|-----|------------------|
| S15 2 | 854 | 348/373.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/22 13:44 |
| S15 3 | 376 | 348/373.ccls. and (base or cradle or dock\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/22 13:44 |
| S15 4 | 439 | 348/373.ccls. and (base or cradle or dock\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 14:19 |
| S15 6 | 553 | (display\$4) with (memory or card or storage) with (detect\$4 or attach\$4 or detach\$4) and @ay<"1991" and camera | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 14:22 |
| S15 7 | 11 | ("4086584" "4176936" "4534639" "4609274" "4636054" "4673277" "4769668" "4774401" "4896177" "4945380" "4977424").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/22 14:24 |
| S15 8 | 6 | ("4994844").URPN. | USPAT | OR | OFF | 2006/09/22 14:38 |
| S15 9 | 5 | ("4754333").URPN. | USPAT | OR | OFF | 2006/09/22 14:47 |
| S16 0 | 108 | ("4456931").URPN. | USPAT | OR | OFF | 2006/09/22 14:57 |
| S16 1 | 16 | ("3891792" "3900887" "4051524" "4142244" "4216492" "4321642" "4366501" "4420773" "4456931" "4471382" "4570182" "4654633" "4698666" "4736256" "4740828" "5267102").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/22 15:00 |
| S16 2 | 127 | ("3891792").URPN. | USPAT | OR | OFF | 2006/09/22 15:05 |
| S16 3 | 8 | ("4420773" "4456931" "4495527" "4593985" "4604668" "4658304" "4739417" "4742369").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/22 15:12 |

EAST Search History

| | | | | | | |
|----------|-------|---|---|----|-----|------------------|
| S16 4 | 14 | ("4057830" "4163256" "4302776" "4315282" "4456931" "4489351" "4553175" "4647976" "4691253" "4714962" "4742369" "4746988" "4802018" "4827347").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/22 15:16 |
| S16 5 | 12 | ("4097893" "4130834" "4163256" "4262301" "4420773" "4456931" "4489351" "4507689" "4525729" "4541704" "4547815" "4827347").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/22 15:20 |
| S16 6 | 9 | ("4420773" "4456931" "4471382" "4489351" "4597058" "4647976" "4754271" "4758833" "4772975").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/22 17:06 |
| S16 7 | 18 | camera with ((pitch near1 angle) or angle or position) near4 detect same chang\$4 with mode | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 17:08 |
| S16 8 | 4 | ("20020191096" "5982429" "6067116" "6339447").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/22 17:16 |
| S16 9 | 1 | 10/614322 | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/22 17:16 |
| S17 0 | 23 | ("20010052942" "20020149672" "20020186319" "20030011680" "20030011702" "20030025797" "20030025809" "20030117499" "5604663" "5826042" "6181883" "D409583").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/22 17:35 |
| S17 1 | 21060 | camera and (angle or pitch or orientation or tilt) near3 (detect\$4 or sens\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 17:36 |
| S17 2 | 2991 | (electronic or digital) adj camera and (angle or pitch or orientation or tilt) near3 (detect\$4 or sens\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 17:36 |
| S17 3 | 247 | (electronic or digital) adj camera and (angle or pitch or orientation or tilt) near3 (detect\$4 or sens\$4) with (mode or operation) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/22 17:37 |

EAST Search History

| | | | | | | |
|----------|-----|--|---|----|----|------------------|
| S17 4 | 171 | camera near4 (orientation or tilt\$3 or position\$4) with (review or playback) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/23 12:20 |
| S17 5 | 2 | "11261891" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/23 12:25 |
| S17 6 | 16 | ("20030017885" "20040106465" "6238302" "6273832" "6425831" "6471600" "6506125" "6632391" "6679782").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/23 12:35 |
| S17 7 | 55 | (nelson with hernandez).xa. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/23 12:43 |
| S17 8 | 18 | ("5150150" "5209343" "5402197" "5640627" "5669147" "5686665" "5900909" "6148149" "6304284").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/23 12:46 |
| S17 9 | 43 | (playback or review) with (record\$4 or still or captur\$4) with mode with camera with (orientation or position or gravity or pitch or angle or direction) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/23 12:52 |
| S18 0 | 22 | ("4856882" "5030984" "5210559" "5266981" "5576759" "5587737" "5592251" "5748995" "5900909" "6222995" "6687458").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/23 12:54 |
| S18 1 | 18 | ("5150150" "5209343" "5402197" "5640627" "5669147" "5686665" "5900909" "6148149" "6304284").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/23 13:15 |
| S18 2 | 513 | camera and inclination near2 sensor | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/23 13:18 |
| S18 3 | 3 | S182 and (play\$1back or review) adj mode and (captur\$4 or record\$4 or still) adj mode | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/23 13:16 |

EAST Search History

| | | | | | | |
|----------|-----|--|---|----|-----|------------------|
| S18 4 | 83 | camera and (inclination or orientation or position or pitch or tilt) near2 (sensor or detector) and (inclination or orientation or position or pitch or tilt) with (play\$1back or review) with (captur\$4 or record\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/23 13:28 |
| S18 5 | 85 | camera and (((inclination or orientation or position or pitch or tilt) near2 (sensor or detector)) or gyroscope) and (inclination or orientation or position or pitch or tilt) with (play\$1back or review) with (captur\$4 or record\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/23 13:29 |
| S18 6 | 424 | (((inclination or orientation or position or pitch or tilt) near2 (sensor or detector)) or gyroscope) and (inclination or orientation or position or pitch or tilt) with (play\$1back or review) with (captur\$4 or record\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/23 13:29 |
| S18 7 | 86 | (((inclination or orientation or position or pitch or tilt) near2 (sensor or detector)) or gyroscope) and (inclination or orientation or position or pitch or tilt) with (play\$1back or review) with (captur\$4 or record\$4) and (camera or (imag\$3 adj (device or apparatus))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/23 13:45 |
| S18 8 | 5 | ("5881205" "6262769").PN. OR ("6563535").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/23 13:40 |
| S18 9 | 109 | (((inclination or orientation or position or pitch or tilt or direction) near2 (sensor or detector)) or gyroscope) and (inclination or orientation or position or pitch or tilt) with (play\$1back or review) with (captur\$4 or record\$4 or still) and (camera or (imag\$3 adj (device or apparatus))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 09:57 |
| S19 0 | 344 | (((inclination or orientation or position or pitch or tilt or direction) near2 (sensor or detector)) or gyroscope) and (inclination or orientation or position or pitch or tilt) same (play\$1back or review) same (captur\$4 or record\$4 or still) and (camera or (imag\$3 adj (device or apparatus))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/23 14:04 |

EAST Search History

| | | | | | | |
|----------|-----|--|---|----|-----|------------------|
| S19 1 | 2 | easy-to-see with orientation with camera | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/23 14:04 |
| S19 2 | 13 | ("5270831" "5448372" "5576759" "5619738" "5640627" "5764291" "5821997" "5900909" "5937106" "5949408" "5973734" "6011585" "6011926").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/23 14:10 |
| S19 3 | 21 | ("4172327" "4364650" "4466230" "4574319" "4623930" "5083383" "5093716" "5122827" "5144358" "5302997" "5343246" "5373153").PN. OR ("5764291").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/23 14:11 |
| S19 4 | 16 | ("5448372" "5619738").PN. OR ("5973734").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/23 14:18 |
| S19 5 | 12 | ((record or capture) and (playback or review)) with mode same ((inclination or orientation or position or pitch or tilt or direction) near2 (sensor or detector)) | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/23 14:20 |
| S19 6 | 333 | 348/220.1.ccls. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/23 14:33 |
| S19 7 | 69 | 348/208.2.ccls. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/23 14:43 |
| S19 8 | 80 | 348/208.1.ccls. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/23 15:23 |
| S19 9 | 2 | 2000-001378 | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/23 15:23 |
| S20 0 | 3 | 2000-001378 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/23 15:24 |
| S20 1 | 4 | "2000001378" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/23 15:24 |

EAST Search History

| | | | | | | |
|----------|-----|---|---|----|-----|------------------|
| S20 2 | 0 | fucimukai.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/23 15:27 |
| S20 3 | 660 | fuch imukai.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/23 15:27 |
| S20 4 | 39 | fuchimukai.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/23 15:27 |
| S20 5 | 117 | (((inclination or orientation or position or pitch or tilt or direction) near2 (sensor or detector)) or gyroscope) and (inclination or orientation or position or pitch or tilt) same (play\$1back or review) same (captur\$4 or record\$4 or still) same (operation or mode) and (camera or (imag\$3 adj (device or apparatus))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 10:48 |
| S20 6 | 3 | "2002015102" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 10:26 |
| S20 7 | 3 | "6449363" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 10:28 |
| S20 8 | 32 | ("5602566" "5910882" "5924046" "6137468" "6201554" "6259787" "6310955" "6381540" "6449363" "6466198" "6567068" "6567101" "6573883" "6624824" "6658272" "6822683").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 10:38 |
| S20 9 | 2 | "20010019664" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 10:29 |

EAST Search History

| | | | | | | |
|----------|-----|--|---|----|-----|------------------|
| S21 0 | 3 | "2002290818" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 10:39 |
| S21 1 | 1 | 2004-194102 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 10:40 |
| S21 2 | 2 | "2004194102" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 10:45 |
| S21 3 | 16 | (MATSUDA with NORIHISA).in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 10:46 |
| S21 4 | 120 | (((inclination or orientation or position or pitch or tilt or direction) near2 (sensor or detector)) or gyroscope) and (inclination or orientation or position or pitch or tilt) same (play\$1back or review) same (captur\$4 or record\$4 or still or photograph\$3) same (operation or mode) and (camera or (imag\$3 adj (device or apparatus))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 15:42 |
| S21 5 | 1 | 10/614322 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 14:13 |

EAST Search History

| | | | | | | |
|----------|-----|---|--|----|-----|------------------|
| S21 6 | 51 | (US-20050031298-\$ or US-20050088572-\$ or US-20040004671-\$ or US-20040150944-\$ or US-20030025674-\$ or US-20020101531-\$ or US-20020036693-\$ or US-20020195550-\$ or US-20030193610-\$ or US-20020141658-\$ or US-20050117024-\$ or US-20050073600-\$ or US-20040141085-\$ or US-20030117514-\$ or US-20050280732-\$ or US-20050195308-\$ or US-20050088546-\$ or US-20050007469-\$ or US-20050007467-\$ or US-20030117513-\$ or US-20010007469-\$ or US-20010010544-\$ or US-20050168621-\$ or US-20040259590-\$ or US-20010019664-\$).did. or (US-7027087-\$ or US-6445417-\$ or US-5734414-\$ or US-5138360-\$ or US-6700621-\$ or US-5708482-\$ or US-5396336-\$ or US-6487366-\$ or US-6720999-\$ or US-5055665-\$ or US-4804831-\$ or US-6530666-\$ or US-5170202-\$ or US-5900909-\$ or US-5686665-\$ or US-5669147-\$ or US-5640627-\$ or US-5209343-\$ or US-6924837-\$ or US-6563535-\$ or US-6873357-\$ or US-5973734-\$ or US-6449363-\$).did. or (JP-2004029559-\$ or JP-2004194102-\$).did. or (JP-2006093814-\$).did. | US-PGPUB; USPAT; JPO; DERWENT | OR | OFF | 2006/09/25 14:21 |
| S21 7 | 0 | S216 and overrid\$3 | US-PGPUB; USPAT; JPO; DERWENT | OR | OFF | 2006/09/25 14:21 |
| S21 8 | 2 | S216 and overrid\$3 | US-PGPUB; USPAT; JPO; DERWENT | OR | OFF | 2006/09/25 15:37 |
| S21 9 | 270 | camera and MEM\$1 and accelerometer | US-PGPUB; USPAT; JPO; DERWENT | OR | OFF | 2006/09/25 15:42 |

EAST Search History

| | | | | | | |
|----------|-----|---|---|----|----|------------------|
| S22 0 | 3 | ((incline or orientation or position or pitch or tilt or direction) near2 (sensor or detector) or gyroscope) and (incline or orientation or position or pitch or tilt) same (play\$1back or review) same (captur\$4 or record\$4 or still or photograph\$3) same (operation or mode) and (camera or (imag\$3 adj (device or apparatus))) and mem | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 13:25 |
| S22 1 | 6 | ((incline or orientation or position or pitch or tilt or direction) near2 (sensor or detector) or gyroscope) and (incline or orientation or position or pitch or tilt) same (play\$1back or review) same (captur\$4 or record\$4 or still or photograph\$3) same (operation or mode) and (camera or (imag\$3 adj (device or apparatus))) and (mem\$1 or (micro adj2 electro adj2 mechanic\$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 15:44 |
| S22 2 | 3 | ((incline or orientation or position or pitch or tilt or direction) near2 (sensor or detector) or gyroscope) and (incline or orientation or position or pitch or tilt) same (play\$1back or review) same (captur\$4 or record\$4 or still or photograph\$3) same (operation or mode) and (camera or (imag\$3 adj (device or apparatus))) and ("mem" or mems or (micro adj2 electro adj2 mechanic\$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 16:22 |
| S22 3 | 638 | ((incline or orientation or position or pitch or tilt or direction) near2 (sensor or detector) or gyroscope) and (incline or orientation or position or pitch or tilt) same (operation or mode) and (camera or (imag\$3 adj (device or apparatus))) and ("mem" or mems or (micro adj2 electro adj2 mechanic\$2)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 15:57 |
| S22 4 | 2 | S222 and (@ad<"20030707" or @rlad<"20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 15:47 |

EAST Search History

| | | | | | | |
|----------|-----|--|---|----|----|------------------|
| S22 5 | 532 | S223 and (@ad<"20030707" or @rlad<"20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/26 13:31 |
| S22 6 | 340 | S225 not silverbrook not tsikos not knowles not zhu | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 15:58 |
| S22 7 | 147 | ((inclination or orientation or position or pitch or tilt or direction) near2 (sensor or detector)) or gyroscope) same ("mem" or mems or (micro adj2 electro adj2 mechanic\$2)) and (inclination or orientation or position or pitch or tilt) same (operation or mode) and (camera or (imag\$3 adj (device or apparatus))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 16:05 |
| S22 8 | 124 | S227 and (@ad<"20030707" or @rlad<"20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 16:23 |
| S22 9 | 122 | S228 not silverbrook not tsikos not knowles not zhu | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 15:58 |
| S23 0 | 8 | ((inclination or orientation or position or pitch or tilt or direction) near2 (sensor or detector)) or gyroscope) same ("mem" or mems or (micro adj2 electro adj2 mechanic\$2)) and (camera or (imag\$3 adj (device or apparatus))) and electrostatic near2 plate | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 16:07 |
| S23 1 | 22 | ((inclination or orientation or position or pitch or tilt or direction) near2 (sensor or detector)) or gyroscope) same ("mem" or mems or (micro adj2 electro adj2 mechanic\$2)) and electrostatic near2 plate | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 16:07 |

EAST Search History

| | | | | | | |
|----------|----|--|---|----|-----|------------------|
| S23 2 | 16 | ("5467104" "5557444" "5629790" "5648618" "5694237" "5701132" "5767666" "5867297" "5912608" "5969465" "6122394" "6140979" "6245590" "6262827" "6285489" "6595055").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/25 16:15 |
| S23 4 | 4 | ("20020058383" "5202907" "5965875" "6369853").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/25 16:16 |
| S23 5 | 63 | ((inclination or orientation or position or pitch or tilt or direction) near2 (sensor or detector)) or gyroscope) and (camera or (imag\$3 adj (device or apparatus))) and ("mem" or mems or (micro adj2 electro adj2 mechanic\$2)) and electrostatic near2 plate | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 16:22 |
| S23 6 | 58 | S235 and (@ad<"20030707" or @rlad<"20030707") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/09/25 16:23 |